



LENOX[®]
Gold[®]

***POWER ARC
CURVED BLADES***



LENOX GOLD® POWER ARC RECIPROCATING SAW BLADES

POWER ARC CURVED BLADE

Delivers up to 2X longer life vs. traditional straight LENOX reciprocating saw blades

AGGRESSIVE BLADE DESIGN

Optimizes the blade's angle of attack for faster cutting in a variety of materials

EXTENDED BLADE LIFE


T2™ Technology and precision applied titanium coating help dissipate heat making blades last longer

FASTER CUTS

Titanium coating makes teeth more wear-resistant so they stay sharp for quicker cuts



LENOX GOLD POWER ARC LEADERSHIP



Automated testing machine results. Test parameters vary depending on blade specifications and materials being used.



Wood

Metal

















Demolition

LAZER® Extreme Metal

	TPI	LENGTH X WIDTH X THICKNESS		5-PACK PROD NO	25-PACK PROD NO	APPLICATION
		IN	MM			
WOOD	6	6 x 7/16 x .050	152 x 11 x 1.3	21063676GRC*	—	
	6	6 x 3/4 x .050	152 x 19 x 1.3	21060656GR	21074B656GR	
	6	9 x 3/4 x .050	229 x 19 x 1.3	21062956GR	21076B956GR	
	6	12 x 3/4 x .050	305 x 19 x 1.3	21061156GR	21075B156GR	
METAL	10	6 x 3/4 x .035	152 x 19 x .9	21064610GR	21078B610GR	
	10	8 x 3/4 x .050	203 x 19 x 1.3	21065810GR	21079B810GR	
	14	4 x 3/4 x .035	102 x 19 x .9	21066414GR*	21080B414GR*	
	14	6 x 3/4 x .035	152 x 19 x .9	21067614GR	21081B614GR	
	18	4 x 3/4 x .035	102 x 19 x .9	21068418GR*	21082B418GR*	
	18	6 x 3/4 x .035	152 x 19 x .9	21069618GR	21083B618GR	
	18	8 x 3/4 x .035	203 x 19 x .9	21070818GR	21084B818GR	
	24	4 x 3/4 x .035	102 x 19 x .9	21071424GR*	—	
	24	6 x 3/4 x .035	152 x 19 x .9	21072624GR	21086B624GR	
	24	8 x 3/4 x .035	203 x 19 x .9	21073824GR	21087B824GR	
DEMOLITION	6	6 x 1 x .062	152 x 22 x 1.6	210886066GR*	21220B6066GR*	
	6	9 x 1 x .062	229 x 22 x 1.6	21090966GR	21222B966GR	
	6	12 x 1 x .062	305 x 22 x 1.6	21091106GR	21223B106GR	
	10	9 x 1 x .062	229 x 22 x 1.6	21089960GR	21221B960GR	   
EXTREME METAL CUTTING	8	6 x 1 x .042	152 x 25 x 1.07	210926108GR	—	
	8	9 x 1 x .042	229 x 25 x 1.07	210969108GR	—	
	10	6 x 1 x .042	152 x 25 x 1.07	210936110GR	21225B6110GR	
	10	9 x 1 x .042	229 x 25 x 1.07	210979110GR	21229B9110GR	
	10	12 x 1 x .042	305 x 25 x 1.07	2110012110GR	—	
	14	6 x 1 x .035	152 x 25 x .9	210946114GR	21226B6114GR	
	14	9 x 1 x .035	229 x 25 x .9	210989114GR	21235B9114GR	
	14	12 x 1 x .042	305 x 25 x 1.07	2110112114GR	21238B12114GR	
	18	6 x 1 x .035	152 x 25 x .9	210956118GR	21227B6118GR	
	18	9 x 1 x .035	229 x 25 x .9	210999118GR	21236B9118GR	
18	12 x 1 x .042	305 x 25 x 1.07	2110212118GR	21239B12118GR		

* Blades do not feature Power Arc technology.

ICON REFERENCE CHART


WOOD	NAIL-EMBEDDED WOOD	CONTOUR WOOD	PLASTIC	THICK METAL	MEDIUM METAL	THIN METAL	NON-FERROUS METAL
							
DEMOLITION	FIRE & RESCUE	PLASTER & DRYWALL	CAST IRON	CEMENT BOARD	TILE	ABRASIVES	NATURAL STONE
							




RECIPROCATING SAW BLADE SELECTION GUIDE

	WOOD	NAIL-EMBEDDED WOOD	NON-FERROUS METAL	DEMOLITION	FIRE & RESCUE	PLASTICS & COMPOSITES	THICK METAL	MEDIUM METAL	THIN METAL	DRYWALL/ PLASTER	CEMENT BOARD	CAST IRON	ABRASIVES
BEST	LENOX GOLD® POWER ARC CURVED BLADES									CARBIDE TIPPED	LENOX DIAMOND™		
BETTER	BI-METAL	LAZER®	BI-METAL		LAZER			BI-METAL	LENOX DIAMOND	CARBIDE GRIT			
GOOD	—	BI-METAL	—		BI-METAL			—	CARBIDE GRIT	—			

TEETH PER INCH SELECTION GUIDE



BLADE LENGTH SELECTION GUIDE



Customer Service:
 800-628-8810
 Technical Support:
 800-642-0010
 lenoxtools.com
 140042
 301 Chestnut Street,
 East Longmeadow, MA
 01028-0504 USA
 ©2014 LENOX, Newell Rubbermaid